## BEFORE THE BOARD OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES AND ENERGY IN AND FOR THE STATE OF UTAH

IN THE MATTER OF THE
APPLICATION OF ODEGARD RESOURCES,
INC., FOR AN ORDER EXTENDING
THE BOARD'S ORDER ENTERED IN
CAUSE NO. 47-2 ESTABLISHING
DRILLING AND SPACING UNITS FOR THE
DAKOTA, MORRISON, CASTLEGATE AND
CEDAR MOUNTAIN FORMATIONS
UNDERLYING CERTAIN LANDS IN
GRAND COUNTY, UTAH.

ORDER

Cause No. 47-5

Pursuant to the Application of Odegard Resources, Inc. this Cause came on for hearing before the Board of Oil, Gas and Mining Department of Natural Resources and Energy, State of Utah, on Thursday, November 19, 1981 at the Wildlife Resources Auditorium, 1596 West North Temple, Salt Lake City, Utah. The following members were present:

\*

Herm Olson, Chairman, Presiding

Margaret Bird

John L. Bell

Charles R. Henderson

Steele McIntyre

Robert R. Norman

Appearances were made as follows, for Odegard Resources, Inc. (Applicant) James W. Carter, Esq. 1100 Kennecott Building, Salt Lake City, Utah 84133.

NOW THEREFORE, the Board having considered the testimony adduced and the exhibits reviewed in said hearing, and being fully advised in the premises, now makes and enters the following

## FINDINGS

1. Due notice of the time, place and purpose of the hearing has been duly given as required by law and regulation, and the Board

Spacing Unit No. 1; a proposed well to be located 2,100 feet from the south line and 900 feet from the west line of said section is hereby designated as the drilling unit well for that drilling and spacing unit comprising the S1/2 of said Section 17.

With respect to Section 14, T17S, R23E, S.L.M., a drilling and spacing unit shall be established comprising the W1/2 of the E1/2 and the SE1/4 SE1/4 of said Section 14.

With respect to Section 11, T17S, R23E, S.L.M., a drilling and spacing unit shall be established comprising the E1/2 of said Section 11, containing 320 acres, more or less; a proposed well to be located 660 feet from the south line and 660 feet from the east line of said section is hereby designated as the drilling unit well for that drilling and spacing unit comprising the E1/2 of said Section 11.

With respect to Section 12, T17S, R23E, S.L.M., a drilling and spacing unit shall be established comprising the NW1/4, NW1/4 SW1/4, and the NW1/4NE1/4 of said section, containing 240 acres, more or less; a proposed well to be located 660 feet from the north line and 1,995 feet from the west line of said Section 12 is hereby designated as the drilling unit well for that drilling and spacing unit comprising the above-described portion of said Section 12.

A well shall be permitted on each of said units (as to which there is not presently a well drilled, or a unit well as designated herein) to be located not nearer than 1,000 feet from the spacing unit boundary with a 500-foot tolerance to be granted administratively for geological and/or topographical exception; and no closer than 2,500 feet from a producing well in an adjacent area, and that a 500-foot tolerance is hereby permitted in the footage between wells in the event surface obstructions or undue hazards are encountered.

DATED this \_\_\_\_\_\_\_ day of November, 1981.

BOARD OF OIL, GAS AND MINING STATE OF UTAH

Herm Olsen, Chairman

Margaret Bird

John L. Bell

Charles R. Henderson